

# Bromley Healthcare Formulary



Date approved - April 2019  
Date of review - March 2022



## **Contents**

[Important Information - Please Read first](#)

Formulary for:

1. [Contraception & Reproductive Health](#)
2. [Community Paediatricians](#)
3. [Bowel and Bladder \(Continence\)](#)
4. [Dental](#)
5. [Diabetes](#)
6. [District Nurses](#)
7. [OOH Doctors](#)
8. [Children's Community Nursing Team](#)
9. [Podiatry](#)
10. [Rehab - Foxbury Unit](#)
12. [Respiratory](#)

This formulary does not contain the information necessary for prescribing or dispensing. It is supplemented as necessary from specialist publications and manufacturers' Summaries of Product Characteristics (SPC), local guidelines and national guidelines. It is intended for use by prescribers who have the necessary training and experience to interpret the information it provides.

## **South East London Red Amber Green Grey (RAGG) List for Adults**

### Introduction

The purpose of the RAGG list is to promote safe, effective prescribing within the most appropriate setting by the most appropriate person. It is recognised that there will be individual exceptional situations that warrant a deviation from these recommendations upon the agreement of all parties. However the list raises the awareness that the drug requires additional knowledge, experience, monitoring or review in order that the individual management plan is explicit enough to ensure each party knows what their role is in the management of the patient. A drug may have different recommendations according to the indication, e.g. off-label indications or rare conditions. GPs should never be forced to agree to shared care or to continue prescribing a specialist recommended drug if they feel an area is not within their competence. Support regarding individual situations can facilitate a compromise, however in accordance with the SEL interface prescribing policy, the specialist must retain prescribing responsibilities, should the GP not be willing to. Where discrepancies arise, it is recommended that the specialist and GP discuss these issues directly, however where this is not possible, medicines management teams should be contacted to liaise with providers. Refusal of a GP to take on shared care should not prevent a South East London Red, Amber, Green, Grey Link -

[http://www.lambethccg.nhs.uk/news-and-publications/meeting-papers/south-east-london-area-prescribing-committee/Documents/SEL%20APC%20RED,%20AMBER,%20GREY%20\(RAG\)%20List/SEL%20APC%20Adult%20RAG%20list%20July%202018.pdf](http://www.lambethccg.nhs.uk/news-and-publications/meeting-papers/south-east-london-area-prescribing-committee/Documents/SEL%20APC%20RED,%20AMBER,%20GREY%20(RAG)%20List/SEL%20APC%20Adult%20RAG%20list%20July%202018.pdf)

### Definitions of RAGG

#### RED

- A consultant or suitably trained specialist (e.g. a specialist non-medical prescribing nurse) within the secondary, tertiary, or primary care clinic should initiate, continue to prescribe and monitor red listed drugs.
- RED list drugs are NOT recommended for GPs to prescribe and responsibility for prescribing, monitoring, dose adjustment and review should remain with the specialist. In very exceptional circumstances a specialist may discuss individual patient need for a RED drug to be prescribed by a GP and the GP should consider informing the Medicines Management team before a decision is made to prescribe for individual patients.
- Supply of these medicines should be organised through the hospital pharmacy or where appropriate a home care company. If it is necessary to supply on a FP10HNC (previously FP10HP), liaison with a nominated community pharmacy is recommended.
- Medicines for specified indications included in the red list should only be prescribed subject to inclusion in the SEL Joint Medicines Formulary and funding being arranged at the individual acute Trust. Drugs that are not on the SEL joint formulary may be included on the red list to inform GPs where a request to prescribe has originated from a provider outside of SEL.

#### Criteria for Inclusion on the RED List

- Patient receives the majority of ongoing care, including monitoring, by the specialist.

- It is in the interest of the patient's safety to receive the drug treatment through the specialist.
- The drug is only available through the hospital.

The drug is unlicensed or being used for an unlicensed indication where there is a lack evidence or widespread medical acceptance by recognised reputed body e.g. not in BNF; NICE guidance or British Association of Dermatology special product list.

- The drug is newly licensed or has a new indication, requiring specialist initiation and place in therapy or risks are uncertain.
- SEL APC's view that the drug is unsuitable for general prescribing.
- Hospital recommends restricting prescribing to hospital only for clinical reasons.
- Designated as hospital or specialist only in its licence or by DoH/MHRA/NICE.
- Drugs subject to High-tech Hospital at Home guidance, EL(95)5.

#### AMBER

- Initiated by or at the recommendation of a specialist which includes consultant, suitably trained specialist non-medical prescriber or GP with specialist interest within a secondary, tertiary, or primary care clinic.
- Where a patient remains under the care of a specialist, on-going communication is imperative.
- Off-label use must be noted but is not an exclusion criteria where a body of evidence supports its use e.g. NICE.
- Contact for specialist support must be explicit and easily accessible.
- Timely re-referral routes are essential.

#### Categories of Amber

1. Recommendation by a specialist, but is considered non urgent and therefore could be started in primary care at the discretion of the GP after the GP's consideration.
2. Initiation by a specialist, stabilisation for a specified time, then continuation in primary care under an individual management plan.
3. As above, requiring shared/transfer of care document

---

**AMB 1** Treatment can be initiated in primary care after a recommendation from an appropriate specialist

---

**AMB 2** Specialist initiation followed by maintenance prescribing in primary care

---

**AMB 3** Specialist initiation with ongoing monitoring required. After dose stabilisation GPs can be requested to take over prescribing responsibilities using the approved APC shared care

---

#### GREEN

- Drugs in routine use for licensed indications.
- Off label prescribing should be in accordance with individual clinical judgment.

#### GREY

- Medicines not normally recommended for routine prescribing.
- Weak evidence of cost effectiveness, benefit and/or safety.
- Drugs which the SEL APC consider do not represent good value to the NHS
- Drugs where the formulary application is not presented to the NDP within the SEL APC specified timeframes.

<http://www.lambethccg.nhs.uk/news-and-publications/meeting-papers/south-east-london-area-prescribing-committee/Pages/default.aspx>

## Disclaimer

Every attempt has been made to ensure that the information in this formulary is correct at the time of publication, but errors may have occurred. Where there is doubt, information should be verified against relevant specialist publications

## Internet-Based Medicines Resources

The following are examples of reliable sources of information on medicines that can be freely accessed via the internet.

- British National Formulary (BNF) and BNF for Children can now be accessed online - Basic information on medicines (indications, dosing, interactions)

- Electronic Medicines Compendium -

<http://emc.medicines.org.uk/>

- Summaries of Product Characteristics (SPCs) and Product Information Leaflets (PILs) for UK licensed products South East London Area Prescribing Committee (APC)

- [Information about the South East London APC and new medicine recommendations can be found at -](http://www.lambethccg.nhs.uk/news-and-publications/meeting-papers/southeast-london-area-prescribing-committee/Pages/default.aspx)

<http://www.lambethccg.nhs.uk/news-and-publications/meeting-papers/southeast-london-area-prescribing-committee/Pages/default.aspx>

## NHS Information portals

- [NICE Evidence Services - http://www.evidence.nhs.uk/](http://www.evidence.nhs.uk/)

NICE Evidence Services (previously NHS Evidence), was launched in April 2009, and is a web-based portal designed to provide NHS healthcare professionals with comprehensive access to a wide range of information in health and social care. A wide range of information types are covered (e.g. primary research, guidelines, policy documents), and logging in with an Athens password allows the user to search healthcare databases (e.g. EMBASE, MEDLINE). Various publications from the BNF, Medicines and Prescribing Centre (MPC) and Clinical Knowledge Summaries (CKS) can be accessed, as can the Cochrane Library and other evidence-based medicine resources.

## Guidelines


- [National Institute for Health and Clinical Excellence \(NICE\) Medicines safety http://www.nice.org.uk/](http://www.nice.org.uk/)

- [Medicines and Healthcare products Regulatory Agency \(MHRA\) - www.mhra.gov.uk](http://www.mhra.gov.uk)

Monthly 'Drug Safety Update' bulletins featured on this site contain information and advice relating to the safety of medicines from the MHRA and CHM.

## BNF 1 - Gastro-Intestinal System

Antacids and alginates- Alginate containing products have low acid suppressant activity and should be reserved for patients with reflux symptoms - Mucogel® (low sodium)

 [NICE CG184: Gastro-oesophageal reflux disease and dyspepsia in adults: investigation and management](#)

 [NICE NG83: Oesophago-gastric cancer: assessment and management in adults](#)

**Proton pump inhibitors** – Use in accordance with NICE guidance for gastroesophageal reflux disease in adults: investigation and management (NICE clinical guideline 184 ) PPI is indicated the LOWEST EFFECTIVE DOSE should be prescribed. Currently it is estimated that 25-50% of all PPI prescriptions are inappropriate

Omeprazole capsules - ORAL PPI OF CHOICE – Not to be prescribed for patients on clopidogrel

Omeprazole dispersible tablets (MUPS®) - for tube fed patients

Lanzoprazole capsules – First line PPI for patients on clopidogrel

## Prostaglandin analogues

Misoprostol tabs (GI indications) - Formulary For prophylaxis and treatment of NSAID induced

## Chronic bowel disorders

 [SE London APC Irritable Bowel Syndrome Pathway](#)

 [SE London APC Primary & Secondary Care Inflammatory Bowel Disease Pathway](#)

 [SE London APC Irritable Bowel Syndrome Pathway](#)

## BNF 2 – Cardiovascular system

 [NICE NG106: Chronic heart failure in adults: diagnosis and management](#)

 [SE London APC guidance: optimising therapy in chronic stable angina](#)

 [SE London APC Guidance: Pharmacological management of Heart Failure](#)

 [NICE CG127: Hypertension in adults: diagnosis and management](#)

Spironolactone tabs - Treatment of hypertension as per NICE CG127

Eplerenone tabs - Reserved for patients unable to tolerate spironolactone when used for the management of chronic heart failure with left ventricular dysfunction (NYHA class II).

Doxazosin (standard preparations) – Not to be used 1st or 2nd line for hypertension. Modified Release tablets are non-formulary.

Digoxin tablets, elixir 50 micrograms/mL - 50 micrograms of elixir is equivalent to 62.5 micrograms of tablets

### Angiotensin II receptor antagonists (ARB) –

Losartan 1<sup>st</sup> line choice for hypertension or diabetic nephropathy due to cost differential. Also in older patients due to lower incidence of postural drop

Candesartan ARB of choice in heart failure. Titrate to 32 mg or max tolerated dose. Valsartan licensed for LV dysfunction post.

**Myocardial Infarction Note** : neither Candesartan nor Valsartan are licensed to treat diabetic neuropathy

ARBs have poorer outcome evidence than ACEI and should be reserved only for those patients who suffer from unacceptable side effects using ACEI. ARBs are not recommended if patients have suffered angio-oedema on an ACEI.

Use in accordance with South London Cardiac and Stroke Network guidance for heart failure due to left ventricular systolic dysfunction.

Careful monitoring for hyperkalaemia and hypovolaemia is required especially for people taking other diuretics and/or ACE inhibitors.

 [NICE CG126: Stable angina: management](#)

 [NICE CG127: Hypertension in adults: diagnosis and management](#)

 [SE London APC Guidance: Managing uncomplicated hypertension](#)

 [SE London APC Traffic light Guide to BP Measurement](#)

### Anti-platelet drugs

Aspirin - Use post MI or post stroke if clopidogrel is not tolerated. Use of enteric coated preparations are not recommended

Clopidogrel - For prevention of all other occlusive vascular events (with aspirin for 12 months post ACS), in multivascular disease or post MI if aspirin is not tolerated. Use as per NICE CG94: ACS and NSTEMI (see link below at end of section) Use as per NICE TA210: Prevention of occlusive vascular events (see link below at end of section)

If PPI cover is needed for patients on clopidogrel, lansoprazole is preferred. Other gastrointestinal therapy such as H2 blockers (except cimetidine) or antacids may be suitable in some patients

Calcium channel blockers - For the use of calcium-channel blockers in the management of stable angina, please refer to

[NICE clinical guideline 126.](#)

Calcium channel blockers and beta-blockers should be considered as first line treatment options for stable angina.

Oral anticoagulants – REFER TO SOUTH EAST LONDON AREA PRESCRIBING COMMITTEE GUIDELINES FOR THE USE OF ORAL ANTICOAGULANTS

---

 [Direct Oral Anticoagulants \(DOACs\) for VTE: Notification of initiation to GP](#)

---

 [Direct Oral Anticoagulants \(DOACs\) for VTE: Transfer of care to GP form](#)

---

 [Direct Oral Anticoagulants \(DOACs\) in AF: Notification of initiation to GP](#)

---

 [Direct Oral Anticoagulants \(DOACs\) in AF: Transfer of Care to GP](#)

---

 [SE London APC - Calculating creatinine clearance for DOACs](#)

Warfarin - **Formulary** AMB 2

Dabigatran , Apixaban - AMBER for treatment and secondary prevention of DVT and PE, and thromboprophylaxis in AF

- Use in accordance with NICE guidance for the prevention of venous thromboembolism after hip or knee replacement surgery (NICE technology appraisal 157) and the treatment and secondary prevention of deep vein thrombosis and/or pulmonary embolism (NICE technology appraisal 327) and the prevention of stroke and systemic embolism in atrial fibrillation (NICE technology appraisal

Edoxaban – AMBER Treatment and prevention of secondary VTE and thromboprophylaxis in AF are for secondary care initiation only.

 [SE London APC prescribing guidance: Edoxaban for AF](#)

 [SE London APC prescribing guidance: Edoxaban for VTE](#)

 [NICE TA354: Edoxaban for treating and for preventing DVT and/or PE](#)


 [NICE TA355: Edoxaban for thromboprophylaxis in non-valvular AF](#)


Rivaroxaban – AMBER for treatment and secondary prevention of DVT and PE, thromboprophylaxis in AF, and preventing adverse outcomes after acute management of ACS.

 [Rivaroxaban for ACS: Notification of initiation to GP](#)


 [Rivaroxaban in ACS: Transfer of care to GP](#)

 [SE London prescribing guidance: Rivaroxaban for ACS](#)

 [SE London prescribing guidance: Rivaroxaban for AF](#)

 [SE London prescribing guidance: Rivaroxaban for VTE](#)








 [NICE TA256: Rivaroxaban for thromboprophylaxis in AF](#)

 [NICE TA261: Rivaroxaban for the treatment of DVT and prevention of recurrent DVT and/or PE](#)

 [NICE TA287: Rivaroxaban for treating PE and preventing recurrent VTE](#)

 [NICE TA335: Rivaroxaban for preventing adverse outcomes after acute management of ACS](#)

## Lipid lowering drugs

-  [MHRA Advice: Fibrates](#)
-  [NICE CG181: Cardiovascular disease: risk assessment and reduction, including lipid modification](#)
-  [NICE CG71: Familial hypercholesterolaemia: identification and management](#)
-  [SE London APC guidance on prescribing statins](#)
-  [SE London APC guidance: Lipid management for primary and secondary prevention of CVD in adults](#)
-  [SE London APC guidance: Management of hypertriglyceridaemia](#)
-  [SE London APC: Information Summary: Specialist prescribing of PCSK9 inhibitors for the management of primary hypercholesterolemia](#)

## Statins





Atorvastatin – First choice

Rosuvastatin - Restricted Drug Restricted Initiation on the recommendation of a Consultant in the Lipid Clinic, Diabetes Unit, HIV Unit or Cardiology only Restricted to use for: •Familial hyperlipidaemia (FH), where other statins have failed to achieve a >50% fall in LDL cholesterol.

These patients should be under the care of a lipid clinic

- Second line for patients requiring 'high intensity statin' post ACS, with contraindications or drug interactions that prevent the use of high doses of atorvastatin
- Third line for patients with CVD or diabetes requiring substantial falls in cholesterol to achieve the minimum QoF audit standard (total cholesterol <5mmol/L and LDL <3mmol/L) with previous failure to tolerate up titrated doses of / or max doses of atorvastatin, and where pravastatin is unlikely to deliver the lipid lowering potency required to reach these target levels.

## BNF 3 - Respiratory system

-  [NICE NG115: Chronic obstructive pulmonary disease in over 16s: diagnosis and management](#)
-  [NICE NG80: Asthma: diagnosis, monitoring and chronic asthma management](#)
-  [SE London integrated guideline for adult asthma](#)
-  [SE London integrated guideline for COPD](#)

## Spiriva Respimat® aerosol inhaler

**For use as additional add-on therapy in adult asthma**

Refer to- [SE London integrated guideline for adult asthma](#)

 [MHRA Feb 2015: Tiotropium Respimat and Handihaler](#)

 [SE London APC recommendation: Tiotropium Respimat for adult asthma](#)

Formulary GREEN

## Spiriva Respimat® aerosol inhaler

**For use as a maintenance bronchodilator treatment to relieve symptoms in patients with COPD**

SEL APC recommendation: Tiotropium Respimat® (Spiriva® Respimat®) 2.5 micrograms inhalation solution for the treatment of chronic obstructive pulmonary disease (COPD) in adults

## Corticosteroids


Flutiform® aerosol inhaler (fluticasone propionate and formoterol)- **Restricted Drug**  
Restricted to use in asthma where high strength inhaled corticosteroids are required

## Triple combination therapy inhalers (ICS + LABA + LAMA) for adults with COPD

Trelegy® Ellipta® inhaler device (fluticasone furoate and vilanterol umeclidinium bromide)



**AMB 1** For the treatment of adults with moderate to severe COPD in line with the following SEL formulary recommendation. Can be initiated in primary care on the recommendation of a respiratory specialist

 [SEL APC recommendation: Triple combination therapy inhalers for adults with chronic obstructive Trimbow® inhaler device \(beclometasone dipropionate and formoterol fumarate dihydrate and glycopyrronium\)](#)

**AMB 1** For the treatment of adults with moderate to severe COPD in line with the following SEL formulary recommendation. Can be initiated in primary care on the recommendation of a respiratory specialist.

 [Triple combination therapy inhalers for adults with chronic obstructive pulmonary disease \(COPD\): Trimbow®](#)

#### **BNF 4 - Central Nervous System**

In this section "SPECIALISTS" refer to medical prescribers specialising in Mental Health unless otherwise stated.

#### **Hypnotics**

**Melatonin m/r tabs** (sleep disorders in children - off-label)- **Restricted Drug**

**AMB 3** SPECIALIST INITIATION ONLY

 [SE London APC Shared Care Guidance for Melatonin for the treatment of Sleep disorders in Children and Adolescents \(age 1 - 17 years\)](#)

**Melatonin m/r tabs, liquid** (adult sleep clinic use - off-label)

**AMB 2**

Approved off-label indications:

- REM sleep behaviour disorder (usual dose 0.5 mg to 16 mg nocte)
- Non-REM parasomnia (usual dose 0.5 mg to 6 mg nocte)
- Delayed sleep phase disorder (usual dose 0.5 mg nocte)
- Non-24 hours sleep-wake disorder (free running disorder) (usual dose 0.5 mg nocte)

#### **Sleep centre initiation only**

Refer to APC guidance and pathways (links below) for further information

The liquid (unlicensed preparation) is restricted to use in swallowing difficulties, or in patients on a specific dose that is not practical to be given from the 2mg m/r tabs

 [SE London APC recommendation: Specific agents for REM behaviour disorder in adults](#)

 [NICE TA77: Insomnia - newer hypnotic drugs](#)

 [SE London APC Pathway for the Pharmacological Management of Non-REM Parasomnia](#)

#### **Anxiolytics**

 [NICE CG113: Generalised anxiety disorder and panic disorder in adults: management](#)

**Buspirone Hydrochloride tabs -Restricted Drug**


**Valproic acid –**

Valproate must no longer be used in any girls or women able to have children unless she agrees to comply with a pregnancy prevention programme.




All women and girls who are prescribed valproate should contact their GP and arrange to have their treatment reviewed.

Communication materials have been provided by the manufacturers to discuss the risk of abnormal pregnancy outcomes with women and girls of childbearing potential. See links below.




 [Valproate risk acknowledgement form](#)

 [Valproate- Patient Card-Contraception and Pregnancy Prevention](#)

 [Valproate- Healthcare professionals \(HCPs\) Educational material Pregnancy prevention programme](#)

-  [MHRA Guidance Mar 2018: Valproate use by women and girls](#)
-  [MHRA Apr 2017: Valproate and developmental disorders: new alert asking for patient review and further consideration of risk minimisation measures](#)
-  [MHRA Feb 2016: Valproate and risk of abnormal pregnancy outcomes: new communication materials](#)

### Antidepressants

-  [NICE CG28: Depression in children and young people: identification and management](#)
-  [NICE CG90: Depression in adults: recognition and management](#)
-  [NICE CG91: Depression in adults with a chronic physical health problem: recognition and management](#)

### Clomipramine caps (Use in mental health) -

 **Restricted - INITIATION BY SPECIALIST ONLY**

### Imipramine tabs (Mental health use) - INITIATION BY SPECIALIST ONLY

 [NICE CG113: Generalised anxiety disorder and panic disorder in adults: management](#)

### CNS stimulants and other drugs used for attention deficit hyperactivity disorder or sleep

#### Atomoxetine caps, oral solution -

 **Restricted - INITIATION BY SPECIALIST ONLY**

 [Treatment of ADHD in children and adults](#)


#### Dexamfetamine tabs (ADHD) -

 **Restricted - INITIATION BY SPECIALIST ONLY**

 [Treatment of ADHD in children](#)


### Guanfacine m/r tabs -

 **Restricted - INITIATION BY SPECIALIST ONLY**


 Restricted to use in ADHD in children where methylphenidate and atomoxetine are not suitable, not tolerated or have been ineffective.

#### Lisdexamfetamine caps -


 **Restricted - INITIATION BY SPECIALIST ONLY**

 Treatment of ADHD in children and adults

 [SEL APC Recommendation - Lisdexamfetamine for the treatment of ADHD in adults](#)

 [SEL APC Recommendation - Lisdexamfetamine for the treatment of ADHD in children aged 6 years and](#)

#### Methylphenidate tabs, m/r tabs, m/r caps (ADHD)

 Treatment of ADHD in children

### Analgesics

 [NICE NG59: Low back pain and sciatica in over 16s: assessment and management](#)

#### Diclofenac sodium tabs, m/r tabs, dispersible tabs, suppositories

 [MHRA Jun 2013: Diclofenac: new contraindications and warnings](#)

#### Buprenorphine patch (weekly preparation) - **Restricted - INITIATION BY SPECIALIST ONLY**

Second line option for patients with chronic severe pain who:


Cannot tolerate large, oral, regular doses of weak opioids or non-opioid + weak opioid combination analgesics

Have conditions where use of anti-inflammatory drugs is not recommended or who have not tolerated such drugs

 **Diamorphine injection** (palliative care)  may be asked to prescribe diamorphine injections as part of palliative care in the community setting - Palliative care recommendation only

 **Fentanyl injection** (palliative care)  may be asked to prescribe diamorphine injections as part of palliative care in the community setting - Palliative care recommendation only

### **Fentanyl patches**

 [MHRA Oct 2018: Transdermal fentanyl patches: life-threatening and fatal opioid toxicity from accidental exposure, particularly in children](#)

 **Morphine injection** (palliative care)  may be asked to prescribe diamorphine injections as part of palliative care in the community setting - Palliative care recommendation only.

 [NICE CG140: Palliative care for adults: strong opioids for pain relief](#)

## **BNF 5 – Infections**


### **Antibiotics**

**Some antibiotics are red or amber in certain forms but not in others. Please check the CCG RAGG list before prescribing any antimicrobial.**

 [NICE CG54: Urinary tract infection in under 16s: diagnosis and management](#)


 [NICE NG84: Sore throat \(acute\): antimicrobial prescribing](#)

 [NICE NG89: Sinusitis \(acute\): antimicrobial prescribing](#)

 [NICE NG91: Otitis media \(acute\): antimicrobial prescribing](#)

 [NICE CG97: Lower urinary tract symptoms in Men](#)

## **BNF 6 – Endocrine System**

 [SE London APC Blood Glucose Control Management Pathway for Adults with Type 2 Diabetes Mellitus \(T2DM\)](#)


 [NICE NG17: Type 1 diabetes in adults: diagnosis and management](#)

 [NICE NG19: Diabetic foot problems: prevention and management](#)


 [NICE NG28: Type 2 diabetes in adults: management](#)

 [NICE NG3: Diabetes in pregnancy: management from preconception to the postnatal period](#)

### **Insulins**

 [NICE TA151: Insulin pumps](#)

 [SE London APC: Insulin and GLP-1 analogue needles prescribing fact sheet \(adults\)](#)

 [SE London APC: Standard patient letter for changing insulin/GLP-1 analogue pen needles](#)

### **Insulin Glargine 100 units/ml** (Abasaglar<sup>®</sup>)

First line insulin glargine 100 unit/mL product *when initiating insulin glargine treatment*

Insulin glargine 100 units/mL should be prescribed by brand name


Patients whose clinical condition remains stable on Lantus<sup>®</sup> should continue on their current

Blanket switching of patients between different insulin glargine preparations is not supported.

Refer to the SE London APC biosimilar glargine 100 units/mL position statement

 [SE London Area Prescribing Committee biosimilar insulin glargine 100 units/mL position statement](#)


### **Insulin Glargine 300 units/ml** (Toujeo<sup>®</sup>) -


 Restricted to patients already on long acting insulin analogues (e.g. insulin glargine or detemir) who:

Experience painful injections with high volumes (>60 units in a single injection) of their current 100 units/ml long acting insulin analogue *and/or*

Suffer from recurrent episodes of nocturnal hypoglycaemia

**Not bioequivalent to insulin glargine 100 units/ml dose for dose. Switches to Toujeo<sup>®</sup> from other insulins require dose adjustment (see SPC and below for further information)**

 [Toujeo: Guide for healthcare professionals](#)

 [SE London APC recommendation: Toujeo for type 2 diabetes in adults](#)

### **Insulin Degludec** (Tresiba<sup>®</sup>) -

 **Restricted - INITIATION BY SPECIALIST ONLY**

**AMB 3** Monitoring and continuation of care remains the responsibility of the Specialist for the first 3 months, after which care may be transferred to primary care in accordance with the Transfer of Care document

 [SE London APC: Insulin Degludec Transfer of Care Document](#)

 [SE London APC Recommendation: Insulin Degludec for diabetes](#)

**Restricted to use in children >1 year and adults with type 1 diabetes where:**

- Both insulin detemir and insulin glargine have been tried and the patient still has poorly controlled diabetes *and*

The next step would otherwise be an insulin pump *and*

Psychosocial or other factors indicate the need for longer duration insulin to facilitate continued treatment and avoid decompensation due to the mismanagement of insulin *and*

There have been frequent emergency admissions

## **Biguanides**

### **Metformin tabs**

Approved off-label indications:

1. Gestational diabetes - use in accordance with the NICE guidance on diabetes in pregnancy
2. Polycystic ovary syndrome - Dose = 500 mg twice or three times daily

**Metformin tabs, m/r tabs, oral solution** -Prescribing of oral solution should be restricted for patients who are unable to swallow tablets

 [NICE NG3: Diabetes in pregnancy: management from preconception to the postnatal period](#)

## **GLP-1 mimetics**

**Dulaglutide injection, Exenatide prolonged release injection (Bydureon▼®) , Liraglutide injection, Lixisenatide injection**


Initiation by specialist only.

**AMB 3** Follow SE London APC GLP-1 guidance for criteria for use

Ongoing supplies can be requested from primary care after the 3 months review using the transfer of care document (links below)

 [SE London APC recommendation: Lixisenatide or exenatide with insulin in type 2 diabetes](#)

 [SE London APC: GLP-1 Pathway for adults with type 2 diabetes mellitus](#)

 [SE London APC: GLP-1 transfer of care document](#)

 [SE London APC: Insulin and GLP-1 analogue needles prescribing fact sheet \(adults\)](#)

 [SE London APC: Standard patient letter for changing insulin/GLP-1 analogue pen needles](#)


## **SGLT2 inhibitors**

### **Canagliflozin, Dapagliflozin and Empagliflozin tabs**

 [MHRA Advice - SGLT2 inhibitors: updated advice on the risk of diabetic ketoacidosis, April 2016](#)

 [MHRA Mar 2017: SGLT2 inhibitors: updated advice on increased risk of lower-limb amputation](#)

 [NICE TA315: Canagliflozin in combination therapy for treating type 2 diabetes](#)

 [NICE TA390: Canagliflozin, dapagliflozin and empagliflozin as monotherapies for treating type 2 diabetes](#)

 [NICE TA418: Dapagliflozin in triple therapy for treating type 2 diabetes](#)

## **BNF 7 - Obstetrics, Gynaecology, and Urinary-tract disorders**

**Darifenacin m/r tablets, Duloxetine caps, Fesoterodine m/r tabs, Oxybutynin tabs, m/r tabs, elixir, Solifenacin tabs, Tolterodine tabs, m/r caps, Trospium tabs m/r caps**

 [NICE TA290: Mirabegron for overactive bladder](#)

 [NICE CG171: Urinary incontinence](#)

 [SE London APC recommendation: Duloxetine for stress urinary incontinence in women](#)


 [SE London APC overactive bladder care pathway for adults in primary care](#)

### **BNF 10 - Musculoskeletal and joint diseases**

Non-steroidal anti-inflammatory drugs

**Acelofenac tabs, Arthrotec<sup>®</sup> tabs** (diclofenac + misoprostol), **Aspirin tabs** (analgesia), **Celecoxib capsules, Diclofenac sodium e/c, m/r & disp tabs, suppositories, Fenbufen tabs, Flurbiprofen Nabumetone tabs, suspension - Restricted Drug:** For palliative care patients with pain relating to soft tissue, visceral or bone inflammation

 [MHRA Jun 2013: Diclofenac: new contraindications and warnings](#)

 [MHRA Guidance Jan 2015: Cox-2 selective inhibitors and non-steroidal anti-inflammatory drugs \(NSAIDs\): Cardiovascular safety](#)

### **BNF 11 – Eye**


Treatment of glaucoma

 [NICE NG81: Glaucoma: diagnosis and management](#)

 [SE London APC Chronic Open Angle Glaucoma and Ocular Hypertension Treatment Pathway](#)

### **BNF 12- Ear, nose and oropharynx**

 [SE London APC Guideline: Allergic Rhinitis \(adults and children\)](#)

 [SE London APC Recommendation: Fluticasone propionate and azelastine combination nasal spray \(Dymista\) for](#)

**Fluticasone propionate 50 micrograms and azelastine 137 micrograms nasal spray** (Dymista<sup>®</sup>)  
Approved in adults and children from 12 years for moderate to severe seasonal and perennial allergic rhinitis. Restricted to use where a combination of oral antihistamines and nasal corticosteroids have failed (step 4 of SE London Allergic Rhinitis Pathway - see above for link)

### **BNF 13 – Skin**

 [Unlicensed Specials Recommended by the British Association of Dermatologists for Skin Disease \(2014\)](#)

 [SE London APC Emollient Guide for Adults and Children](#)

 [SE London APC Patient Information Leaflet - emollients and how to use them](#)

**Contraception & Reproductive Health**

| Drugs  | Stock | Prescription |
|--|-------|--------------|
| <b>Chapter 2 – Cardiovascular system</b>   |       |              |
| - ATROPINE INJECTION PACK (bradycardia)  |       |              |
| - TRANEXAMIC ACID 500mg tablets (60 tablets)   |       |              |
| <b>Chapter 3 – Respiratory system</b>  |       |              |
| - ADRENALINE INJECTION PACK (anaphylaxis)  |       |              |
| <b>Chapter 4 – Central nervous system</b>  |       |              |
| - PARACETAMOL 500mg tablets (32 tablets)   |       |              |
| - (issued as two tablets per patient, as DOT, for post procedural pain)  |       |              |
| <b>Chapter 5 – Infections</b>  |       |              |
| - AZITHROMYCIN 250mg tablets (8 tablets) OR 500mg tablets (4 tablets)  |       |              |
| - DOXYCYCLINE 100mg capsules (14 capsules), pre-printed  |       |              |
| - METRONIDAZOLE tablets 400mg  |       |              |
| - FLUCLOXACILLIN sodium capsules 500mg   |       |              |
| - TRIMETHOPRIM tablets 200mg   |       |              |
| <b>Chapter 7 – Obstetrics, gynaecology and urinary tract disorders</b>   |       |              |
| Combined Hormonal Contraceptives: ethinylestradiol (EE), plus a progestogen  |       |              |
| - EE 20mcg/DESOGESTREL 150mcg tablets (3 x 21)<br>(e.g. Munalea 20/150, Gedarel 20/150, Mercilon)  |       |              |
| - EE 30mcg/DESOGESTREL 150mcg tablets (3 x 21)<br>(e.g. Munalea 30/150, Gedarel 30/150, Marvelon)  |       |              |
| - EE 20mcg/GESTODENE 75mcg tablets (3 x 21)<br>(e.g. Aidulan 20/75, Millinette 20/75, Femodette)   |       |              |
| - EE 30mcg/GESTODENE 75mcg tablets (3 x 21)<br>(e.g. Aidulan 30/75, Millinette 30/75, Femodene)  |       |              |
| - EE 30mcg/ LEVONORGESTREL 150mcg tablets (3 x 21)<br>(e.g. Maexeni, Rigevidon, Microgynon 30, Levest, Ovranelle)                          |       |              |
| - EE 20mcg/NORETHISTERONE acetate 1mg tablets (3 x 21)<br>(e.g. Loestrin 20)   |       |              |
| - EE 30mcg/NORETHISTERONE acetate 1.5mg tablets (3 x 21)<br>(e.g. Loestrin 30)   |       |              |
| - EE 35mcg/NORGESTIMATE 250mcg tablets (3 x 21)<br>(e.g. Cilique, Cilest, Lizinna)   |       |              |
| Progestogen-only Contraceptives  |       |              |
| - DESOGESTREL 75mcg tablets (3 x 28)<br>(e.g. Feanolla, Cerezette, Cerelle)  |       |              |
| - LEVONOGESTREL 30mcg tablets (1 x 35)<br>(e.g. Norgeston)   |       |              |
| - NORETHISTERONE 350mcg tablets (3 x 28)<br>(e.g. Noriday)   |       |              |
| - MEDROXYPROGESTERONE ACETATE 150mg/ml aqueous suspension<br>1ml for deep i.m. injection (pre-filled syringe or vial)<br>(DEPO-PROVERA)    |       |              |
| - MEDROXYPROGESTERONE ACETATE 104mg /0.65ml suspension<br>0.65ml for subcutaneous injection (pre-filled injector device)<br>(SAYANA PRESS) |       |              |
| - ETONORGESTREL 68mg in flexible rod for subdermal insertion/implant<br>One implant, with insertion device                                 |       |              |

|  |  |  |
|--|--|--|
| (e.g. NEXPLANON)   |  |  |
| <b>Intra-uterine Progestogen-only Systems (IUS)</b>  |  |  |
| - LEVONORGESTREL IUS, releasing 20mcg/24 hours<br>(One, with insertion device for intrauterine placement)<br>e.g. MIRENA, LEVOSERT |  |  |
| - LEVONORGESTREL 13.5mg intrauterine delivery system<br>(one with insertion device), e.g. JAYDESS                                  |  |  |
| - LEVONORGESTREL 19.5mg intrauterine delivery system<br>(one with insertion device) e.g. KYLEENA                                   |  |  |
| <b>Intra-uterine Contraceptive Devices (IUCD)</b>  |  |  |
| - <b>T-SAFE CU 380A</b> / Copper T 380A (equivalent)<br>(one, with insertion device for intrauterine placement)                    |  |  |
| - <b>TT 380 SLIMLINE</b> / T-SAFE 380A QUICKLOAD (equivalent)<br>(one, with insertion device for intrauterine placement)           |  |  |
| - <b>NOVA-T 380</b><br>(one, with insertion device for intrauterine placement)   |  |  |
| - <b>MINI TT 380 SLIMLINE</b><br>(one, with insertion device for intrauterine placement)   |  |  |
| <b>Oral Emergency Contraception</b>  |  |  |
| - LEVONORGESTREL 1.5mg tablet (single dose)<br>(e.g. Levonelle 1500, Upostelle, unbranded)   |  |  |
| - ULIPRISTAL acetate 30mg tablet (single dose)<br>(e.g. ellaOne)   |  |  |
| <b>Other Products</b>  |  |  |
| - NONOXINOL-9 contraceptive jelly (single tube, 81g), e.g. GYGEL   |  |  |
| <b>Chapter 10 – Musculoskeletal system</b>   |  |  |
| - IBUPROFEN 200mg tablets (24 tablets)<br>(issued as two tablets per patient, as DOT, for post procedural)                         |  |  |
| - MEFENAMIC ACID 500mg tablets (28 tablets)  |  |  |
| <b>Chapter 15 – Anaesthesia</b>  |  |  |
| - 2% w/v LIDOCAINE injection, 100mg/5ml (5ml plastic vial)   |  |  |
| - 1% w/v LIDOCAINE injection, 50mg/5ml (5ml plastic vial)  |  |  |
| - INSTILLAGEL GEL, 2g Lidocaine Hydrochloride per 100g gel   |  |  |
| <b>Other Item:</b>   |  |  |
| PREGNANCY TESTS;   |  |  |
| OPTILUBE lubricating jelly;  |  |  |
| IRRIPOD plastic vials of 20ml 0.9% w/v sodium chloride sterile   |  |  |

**COMMUNITY PAEDIATRICIANS**


| Drugs   | Prescriptions |
|---|---------------|
| <b>Chapter 1 - Gastro-intestinal system</b>     |               |
| Sulfasalazine Tablet 500mg                      |               |
| <b>Chapter 2 - Cardiovascular system</b>        |               |
| Atorvastatin Tablet 10mg                        |               |
| Atorvastatin Tablet 40mg                        |               |
| Clonidine Hydrochloride Tablet 100mcg           |               |
| <b>Chapter 5 - Infections</b>                   |               |
| Trimethoprim Tablets 100mg                      |               |
| <b>Chapter 4 - Central Nervous system</b>       |               |
| Aripiprazole Oral Solution 5mg/5ml              |               |
| Atomoxetine Hydrochloride Capsules 18mg         |               |
| Atomoxetine Hydrochloride Capsules 25mg         |               |
| Atomoxetine Hydrochloride Capsules 40mg         |               |
| Atomoxetine Hydrochloride Capsules 60mg         |               |
| Atomoxetine Hydrochloride Capsules 80mg         |               |
| Atomoxetine Hydrochloride Capsules 10mg         |               |
| Bio-Melatonin Tablets 3mg                       |               |
| Chloral Hydrate Elixir 143mg/5ml                |               |
| Clonidine Hydrochloride Tablets 25mcg           |               |
| Concerta XL Tab 18mg                            |               |
| Concerta XL Tab 27mg                            |               |
| Concerta XL Tab 36mg                            |               |
| Dexamfetamine Sulphate Tablets 5mg              |               |
| Delmosart 18mg Prolonged Release Tablets        |               |
| Delmosart 27mg Prolonged Release Tablets        |               |
| Delmosart 36mg Prolonged Release Tablets        |               |
| Delmosart 54mg Prolonged Release Tablets        |               |
| Equasym XL Capsules 10mg                        |               |
| Equasym XL Capsules 20mg                        |               |
| Equasym XL Capsules 30mg                        |               |
| Fluoxetine Hydrochloride Oral Solution 20mg/5ml |               |
| Medikinet XL Capsules 10mg                      |               |
| Medikinet XL Capsules 20mg                      |               |
| Medikinet XL Capsules 30mg                      |               |
| Medikinet XL Capsules 40mg                      |               |
| Medikinet XL Capsules 5mg                       |               |
| Melatonin Capsules 2mg                          |               |
| Melatonin Capsules 3mg                          |               |
| Melatonin Capsules 5mg                          |               |
| Methylphenidate Hydrochloride Tablets 5mg       |               |
| Methylphenidate Hydrochloride Tablets 10mg      |               |
| Risperidone Tablets 1mg                         |               |
| Risperidone Tablets 500mcg                      |               |
| Melatonin Capsules 1mg                          |               |
| Melatonin Capsules 2.5mg                        |               |



|  |  |
|--|--|
| Melatonin Capsules 10mg                                |  |
| Melatonin (KidNaps) Oral Solution 1mg/1ml              |  |
| Melatonin Tablets 2mg M/R (Circadin)                   |  |
| <b>Chapter 6 - Endocrine system</b>                    |  |
| Medroxyprogesterone Acetate Tablets 5mg                |  |
| Sustanon 250® Oily Injection                           |  |
| <b>Chapter 10 - Musculoskeletal and joint diseases</b> |  |
| Leflunomide Tablet 10mg                                |  |

## Continence

The formulary for continence in adults is a separate document: [Bromley Continence Formulary](#)



The image shows the cover of a document titled "Bromley Continence Formulary for Adults". The cover features the Bromley Healthcare logo (purple text "Bromley Healthcare" with "better together" in pink below it) on the top left and the NHS Bromley Clinical Commissioning Group logo (blue text "NHS Bromley" with "Clinical Commissioning Group" below it) on the top right. The main title "Bromley Continence Formulary for Adults" is centered in bold black text. Below the title is a photograph of a white continence device with a blue tube and a yellow connector. At the bottom center, it says "Updated August 2017". In the bottom left corner, there is a small footer: "Bromley Continence Formulary for Adults updated August 2017". In the bottom right corner, there is a small number "1".

## Dental

### Drugs

**Dental Prescribing Formulary -ref: NHS England and Wales Drug Tariff:**

<https://bnf.nice.org.uk/dental-practitioners-formulary/>

**BROMLEY DIABETES SERVICE**

| Drugs   | Prescriptions | Stock |
|---|---------------|-------|
| <b>Chapter 1 - Gastro-intestinal system</b>                                 |               |       |
| SODIUM CITRATE RECTAL Enema   |               |       |
| <b>Chapter 6 - Endocrine system</b>   |               |       |
| ACCU-CHEK INFORM II STRIPS Test Strips                                      |               |       |
| ACCU-CHEK PERFORMA B1-LEVEL Control Solution                                |               |       |
| Aviva (Reagent) Strips  |               |       |
| BGStar (Reagent) Strips   |               |       |
| Bydureon Injction 2mg Vial + Diluent  |               |       |
| Contour (Reagent) Strips  |               |       |
| Contour Next (Reagent) Strips   |               |       |
| Apidra (insulin glulisine ) injection                                       |               |       |
| DEXTROSE 40 % Gel   |               |       |
| Byetta Injection 10mcg/0.04ml 2.4mlPfs(60D)                                 |               |       |
| Byetta Injection 5mcg/0.02ml 1.2ml Pfs(60D)                                 |               |       |
| FreeStyle Optium (Reagent) Strips   |               |       |
| FreeStyle Optium B-Ketone Reagent Strips                                    |               |       |
| Gliclazide Tablets 80mg   |               |       |
| Glipizide Tablets 5mg   |               |       |
| GLUCAGON (rys) 1 mg Injection   |               |       |
| HUMALOG INSULIN (3ml Cartridge) 100 units in 1ml Injection                  |               |       |
| HUMALOG INSULIN KWIKPEN 100 units in 1ml Injection                          |               |       |
| HUMALOG MIX 25 INSULIN (3ml Cartridge) 100 units in 1ml Injection           |               |       |
| HUMALOG MIX 50 INSULIN (3ml Cartridge) 100 units in 1ml Injection           |               |       |
| HUMALOG MIX25 INSULIN KWIKPEN 100 units in 1ml Injection                    |               |       |
| HUMALOG MIX50 INSULIN KWIKPEN 100 units in 1ml Injection                    |               |       |
| HUMULIN I INSULIN (3ml Cartridge) 100 units in 1ml Injection                |               |       |
| HUMULIN S INSULIN (3ml Cartridge) 100 units in 1ml Injection                |               |       |
| INSULATARD HUMAN INSULIN (3ml Cartridge) 100 units in 1ml                   |               |       |
| INSULATARD HUMAN INSULIN (INNOLET PREFILLED PEN) 100 units in 1ml Injection |               |       |
| Insulin Human Insulatard Penfill 100u/ml 3ml                                |               |       |
| Insulin Humalog 100u/ml 3ml Cartridge                                       |               |       |
| Insulin Humalog KwikPen 100u/ml 3ml Pf Pen                                  |               |       |
| Insulin Humalog Mixtard 50 100u/ml 3ml Cartridge                            |               |       |
| Insulin Humulin I 100u/ml 3ml Cartridge                                     |               |       |
| Insulin Humulin I KwikPen 100u/ml 3ml Pf Pen                                |               |       |
| Insulin Humulin M3 100u/ml 3ml Cartridge                                    |               |       |
| Insulin Lantus 100u/ml 3ml Cartridge  |               |       |
| Insulin Lantus SoloStar 100u/ml 3ml Pf Pen                                  |               |       |
| Insulin Levemir FlexPen 100u/ml 3ml Pf Pen                                  |               |       |
| Insulin Levemir Penfill 100u/ml 3ml Cartridge                               |               |       |
| Insulin NovoMix 30 FlexPen 100u/ml 3ml Pf Pen                               |               |       |
| Insulin NovoRapid FlexPen 100u/ml 3ml Pf Pen                                |               |       |
| Insulin NovoRapid Penfill 100u/ml 3ml Cartridge                             |               |       |
| Ketostix (Reagent) Strips   |               |       |

|   |  |  |
|---|--|--|
| LANTUS INSULIN (3ml Cartridge) 100 units in 1ml Injection         |  |  |
| LANTUS INSULIN (OPTISET) 100 units in 1ml Injection               |  |  |
| LANTUS INSULIN SOLOSTAR 100 units in 1ml Injection                |  |  |
| LEVEMIR INSULIN (3ml Cartridge) 100 units in 1ml                  |  |  |
| LEVEMIR INSULIN (FLEXPEN) 100 units in 1ml Injection              |  |  |
| Tradjenta Tablets 5mg   |  |  |
| Tradjenta Injection 6mg/ml 3ml PF Pen                             |  |  |
| Metformin HydrochlorideTablets 500mg                              |  |  |
| MIXTARD HUMAN 30 (INNOLET PREFILLED PEN) 100 units in 1ml         |  |  |
| MIXTARD HUMAN 30 (PENFILL) 100 units in 1ml Injection             |  |  |
| Mobile (Reagent) Strips   |  |  |
| MULTISTIX 8SG (4200746) Reagent Strips                            |  |  |
| NOVOMIX 30 INSULIN (FLEXPEN) 100 units in 1ml Injection           |  |  |
| NOVOMIX 30 INSULIN (PENFILL) 100 units in 1ml Injection           |  |  |
| NOVORAPID INSULIN 100 units in 1ml Injection (FlexPen)            |  |  |
| NOVORAPID INSULIN 100 units in 1ml Injection (Penfill Cartridges) |  |  |
| OPTIMUM BETA KETONE STRIPS  |  |  |
| OneTouch Ultra (Reagent) Strips                                   |  |  |
| OneTouch Verio (Reagent) Strips                                   |  |  |
| Onglyza Tablets 5mg   |  |  |
| Januvia Tablets 100mg   |  |  |
| Januvia Tablets 25mg  |  |  |
| Sukkarto Tablets 1g S/R (please prescribe this brand only)        |  |  |
| Sukkarto Tablets 500mg S/R (please prescribe this brand only)     |  |  |
| Forxiga 5mg tablets   |  |  |
| Forxiga 10mg tablets  |  |  |
| Toujeo 300units/ml  |  |  |
| Tresiba 100 units/ml 5 × 3-mL Penfill® cartridges                 |  |  |
| Tresiba 100 units/ml 5 × 3-mL FlexTouch®                          |  |  |
| Tresiba 200 units/ml 3 × 3-mL FlexTouch®                          |  |  |
| Xultophy 100units/ml insulin                                      |  |  |
| <b>Chapter 9 - Nutrition and blood</b>                            |  |  |
| DEXTROSE 20 % 500 ml Viaflex Bag                                  |  |  |
| <b>Chapter 21</b>   |  |  |
| BD Micro-Fine Ultra Needles Pen Inj Screw On 4mm                  |  |  |
| BD Microfine+ Needles Pen Inj Screw On 5mm                        |  |  |
| BGStar Ultra-Thin Lancets 0.20mm/33 Gauge                         |  |  |
| FreeStyle Lancets 0.5mm/28 Gauge                                  |  |  |
| NovoFine Needles Pen Inj Screw On 6mm                             |  |  |
| OneTouch Comfort Lancets 0.20mm/33 Gauge                          |  |  |
| SAFE CLIP   |  |  |
| Sharpsafe 1L  |  |  |
| Sharpsguard 1L  |  |  |

**District Nurses**

| <b>Drugs</b>   | <b>Stock</b> |
|--|--------------|
| <b>Chapter 1 - Gastro-intestinal system</b>                |              |
| GLYCEROL 4 g (Adult) Suppositories                         |              |
| <b>Chapter 3 - Respiratory system</b>                      |              |
| ADRENALINE (Emerade)500 mcg Injection (with Auto-injector) |              |
| ADRENALINE INJECTION PACK                                  |              |
| <b>Chapter 6 - Endocrine system</b>                        |              |
| CONTOUR Test Strips(community use only)                    |              |
| CONTOUR (blood glucose test solution) solution             |              |
| MULTISTIX 8SG (4200746) Reagent Strips                     |              |
| <b>Chapter 21</b>  |              |
| GEL, CAMCARE ULTRASOUND                                    |              |
| <b>Dressings Appendix</b>                                  |              |
| Tegaderm Foam Adh.Oval - 10cm x 11cm                       |              |
| Tegaderm Foam Adh.Oval - 14.3 x 15.6cm                     |              |
| Kerraheel - 12 x 20cm                                      |              |
| Aquacel Foam - 10cm x 10cm                                 |              |
| Aquacel Foam - 12.5cmx12.5cm                               |              |
| Aquacel Foam - 20cm x 16.9cm                               |              |
| Adaptic touch - 7.6 x 11cm                                 |              |
| N-A Ultra - 9.5cm x 9.5cm                                  |              |
| N-A Ultra - 19cm x 9.5cm                                   |              |
| Duoderm Extra Thin - 10cm x 10cm                           |              |
| Aquacel Extra - 10cm x 10cm                                |              |
| Aquacel Ribbon (Cavity) - 2cm x 45cm                       |              |
| Inadine Povidine Iodine Dressing - 9.5cm x 9.5cm           |              |
| Iodoflex - 5g  |              |
| Prontosan Wound Gel - 30ml                                 |              |
| Prontosan Solution - 350ml                                 |              |
| Actilite - 10 x 10cm                                       |              |
| Activon - 25g  |              |
| Algivon - 10 x 10 cm                                       |              |
| Cavilon Durable Barrier Cream - 2g sachets (20)            |              |
| Cavilon No Sting Barrier Film - 1ml applicators            |              |
| Cavilon No Sting Barrier Film - 28ml spray or stoma wipe   |              |
| Kliniderm - 10 x 10cm                                      |              |
| Kliniderm - 20 x 20cm                                      |              |
| Tegaderm VP Adh.Film Dressing - 12cm x 12cm                |              |
| Micropore Tape - 2.5cm x 9.14                              |              |
| Tegaderm with pad - 5 x 7cm                                |              |
| Tegaderm with pad - 9 x 10cm                               |              |
| Tegaderm with pad - 9cm x 15cm                             |              |
| Steripaste - 7.5cm x 6m                                    |              |
| Comfast Blue Line - 7.5cm x 5m                             |              |
| Comfast Yellow Line - 10.75cm x 5m                         |              |
| K-Band - 10cm x 4m   |              |

|   |  |
|---|--|
| K Soft - 10cm x 4.5m  |  |
| K-Lite - 10cm x 4.5cm   |  |
| K TWO - 18-25 (10cm Kit)  |  |
| K TWO - 25-32 (10cm Kit)  |  |
| Actico - 10 x 4.5m  |  |
| Topical negative pressure therapy ATS canister with gel (VAC) - 500ml                               |  |
| Topical negative pressure therapy Granufoam small dressing kit (VAC) - 10cm x 7.5cm x 3.3cm         |  |
| Topical negative pressure therapy Granufoam medium dressing kit (SensaTRAC) - 18cm x 12.5cm x 3.3cm |  |
| Topical negative pressure therapy ActiV.A.C. canister with gel (VAC) - 300ml                        |  |
| Topical negative pressure therapy RENASYS GO 300ml canister kit - 300ml                             |  |
| Topical negative pressure therapy RENASYS G medium kit channel drain                                |  |
| Topical negative pressure therapy Go carry strap (Renasys)  |  |
| Topical negative pressure therapy Medium gauze dressing kit with port (Renasys)                     |  |

**Out of Hours Doctors**

| Drugs   | Prescriptions | Stock |
|---|---------------|-------|
| <b>Chapter 1 - Gastro-intestinal system</b>   |               |       |
| Anusol Plus Hydrocortisone Ointment           |               |       |
| Esomeprazole Capsule E/C 40mg                 |               |       |
| Esomeprazole Tablet E/C 20mg                  |               |       |
| Esomeprazole Tablet E/C 40mg                  |               |       |
| Fybogel Granules Sachet 3.5g Orange G/F S/F   |               |       |
| Peptac Liquid (Aniseed) (Reckitt)             |               |       |
| Gaviscon Infant Sachet 2g (Dual Pack) S/F     |               |       |
| Hyoscine Butylbromide Tablets 10mg            |               |       |
| Hyoscine Butylbromide 20mg/1ml Injection      |               |       |
| Lansoprazole Capsule 30mg (E/C Granules)      |               |       |
| Lansoprazole Capules 15mg (E/C Granules)      |               |       |
| Laxido Oral Powder Sachet (Orange)            |               |       |
| Laxido Oral Powder Sachet (Orange) S/F        |               |       |
| Loperamide Hydrochloride Capsules 2mg         |               |       |
| Macrogol Compound Oral Powder Sachet          |               |       |
| Mesalazine Foam Aerosol Enema 1g/dose 14g     |               |       |
| Mesalazine Tablet E/C 400mg                   |               |       |
| Micolette Enema 5ml                           |               |       |
| Movicol Powder Sachet 13.8g (Lem & Lim)       |               |       |
| Omeprazole Capsule E/C 20mg                   |               |       |
| Omeprazole Capsule E/C 40mg                   |               |       |
| Omeprazole Tablet E/C 20mg                    |               |       |
| Omeprazole Tablet E/C 40mg                    |               |       |
| Pantoprazole Tablet E/C 40mg                  |               |       |
| Phosphate Enema                               |               |       |
| Proctosedyl Suppositories                     |               |       |
| Prochlorperazine 3mg BuccalTablets            |               |       |
| Prochlorperazine 5mg Tablets                  |               |       |
| Ranitidine Hydrochloride Tablet 300mg         |               |       |
| Ranitidine HydrochlorideTablet 150mg          |               |       |
| Scheriproct Ointment                          |               |       |
| Scheriproct Suppositories                     |               |       |
| Sulfasalazine Oral Suspension 250mg/5ml       |               |       |
| Sulfasalazine Oral Suspension 250mg/5ml S/F   |               |       |
| Sulfasalazine Tablet E/C 500mg                |               |       |
| Sulfasalazine Tablet 500mg                    |               |       |
| Docusate Sodium Capsules 100mg                |               |       |
| <b>Chapter 2 - Cardiovascular system</b>      |               |       |
| Adrenaline 500mcg/0.5ml PreFilled Pen         |               |       |
| Adrenaline 1 in 1000 (1mg/1ml) Injection      |               |       |
| Adrenaline 1 in 10,000 (100mcg/1ml) Injection |               |       |
| Amiodarone Hydrochloride Tablet 100mg         |               |       |
| Amiodarone Hydrochloride Tablet 200mg         |               |       |
| Amlodipine Tablet 5mg                         |               |       |
| Amlodipine Tablets 10mg                       |               |       |
| Aspirin Tablet E/C 75mg                       |               |       |



|   |  |
|---|--|
| Atenolol Tablet 100mg                                   |  |
| Atenolol Tablet 25mg                                    |  |
| Atenolol Tablet 50mg                                    |  |
| Atorvastatin Tablet 10mg                                |  |
| Atorvastatin Tablet 20mg                                |  |
| Atorvastatin Tablet 40mg                                |  |
| Atorvastatin Tablet 80mg                                |  |
| Bendroflumethiazide Tablet 2.5mg                        |  |
| Bezafibrate Tablet 200mg                                |  |
| Bisoprolol Fumarate Tablet 1.25mg                       |  |
| Bisoprolol Fumarate Tablet 10mg                         |  |
| Bisoprolol Fumarate Tablet 2.5mg                        |  |
| Bisoprolol Fumarate Tablet 3.75mg                       |  |
| Bisoprolol Fumarate Tablet 5mg                          |  |
| Bisoprolol Fumarate Tablet 7.5mg                        |  |
| Bumetanide Tablet 1mg                                   |  |
| Candesartan Cilexetil Tablet 8mg                        |  |
| Candesartan Cilexetil Tablet 16mg                       |  |
| Candesartan Cilexetil Tablet 2mg                        |  |
| Candesartan Cilexetil Tablet 4mg                        |  |
| Carvedilol Tablet 12.5mg                                |  |
| Carvedilol Tablet 3.125mg                               |  |
| Carvedilol Tablet 6.25mg                                |  |
| Clopidogrel Tablet 75mg                                 |  |
| Co-Amilofruse Tablet 2.5mg/20mg                         |  |
| Co-Amilofruse Tablet 5mg/40mg                           |  |
| Digoxin Tablets 125mcg                                  |  |
| Digoxin Tablets 62.5mcg                                 |  |
| Diltiazem Hydrochloride Capsules 120mg M/R              |  |
| Diltiazem Hydrochloride Capsules 60mg M/R               |  |
| Diltiazem Hydrochloride Tablets 120mg M/R               |  |
| Diltiazem Hydrochloride Tablets 90mg M/R                |  |
| Doxazosin Mesilate Tablets 2mg                          |  |
| Doxazosin Mesilate Tablets 4mg                          |  |
| Doxazosin Mesilate Tablets 8mg M/R                      |  |
| Enalapril Maleate Tablets 10mg                          |  |
| Enalapril Maleate Tablets 5mg                           |  |
| Inhixa 2000iu(20mg) 0.2ml Pfs                           |  |
| Inhixa 4000iu(40mg) 0.4ml Pfs                           |  |
| Inhixa 6000iu(60mg) 0.6ml Pfs                           |  |
| Inhixa 8000iu(80mg) 0.8ml Pfs                           |  |
| Inhixa 10000iu(100mg) 1ml Pfs                           |  |
| Eplerenone Tablet 25mg                                  |  |
| Eprosartan Tablet 400mg                                 |  |
| Ezetimibe Tablet 10mg                                   |  |
| Felodipine Tablet 10mg M/R                              |  |
| Felodipine Tablet 2.5mg M/R                             |  |
| Felodipine Tablet 5mg M/R                               |  |
| Flecainide Acetanide Tablet 50mg                        |  |
| Frumil L.S. Tablets 20mg/2.5mg                          |  |
| Furosemide Tablets 20mg                                 |  |
| Furosemide Tablets 40mg                                 |  |
| Glyceryl Trinitrate Sublingual Pump Spray 400mcg (180D) |  |

|  |  |
|--|--|
| Irbesartan Tablets 150mg               |  |
| Isosorbide Dinitrate Tablets 10mg      |  |
| Isosorbide Mononitrate Tablet 20mg     |  |
| Isosorbide Mononitrate Tablets 10mg    |  |
| Isosorbide Mononitrate Tablet 60mg M/R |  |
| Lacidipine Tablets 4mg                 |  |
| Lisinopril Tablets 2.5mg               |  |
| Lisinopril Tablets 20mg                |  |
| Lisinopril Tablets 5mg                 |  |
| Losartan Potassium Tablets 25mg        |  |
| Losartan Potassium Tablets 100mg       |  |
| Losartan Potassium Tablets 50mg        |  |
| Nicorandil Tab 10mg                    |  |
| Nicorandil Tablets 20mg                |  |
| Nifedipine Tablets 20mg M/R            |  |
| Nifedipine Tablets 30mg M/R            |  |
| Perindopril Erbumine Tablet 2mg        |  |
| Perindopril Erbumine Tablets 4mg       |  |
| Perindopril Erbumine Tablets 8mg       |  |
| Phenindione Tablet 50mg                |  |
| Ramipril Capsules 1.25mg               |  |
| Ramipril Capsules 10mg                 |  |
| Ramipril Capsules 2.5mg                |  |
| Ramipril Capsules 5mg                  |  |
| Ramipril Tablets 1.25mg                |  |
| Ramipril Tablets 10mg                  |  |
| Ramipril Tablets 2.5mg                 |  |
| Ramipril Tablets 5mg                   |  |
| Simvastatin Tablets 10mg               |  |
| Simvastatin Tablets 20mg               |  |
| Simvastatin Tablets 40mg               |  |
| Spirolactone Tablets 100mg             |  |
| Spirolactone Tablets 25mg              |  |
| Telmisartan Tablets 80mg               |  |
| Telmisartan Tablets 20mg               |  |
| Valsartan Capsules 160mg               |  |
| Valsartan Capsules 80mg                |  |
| Verapamil Hydrochloride Tablets 40mg   |  |
| Warfarin 1mg tablets                   |  |
| Warfarin 3mg tablets                   |  |
| Warfarin 5mg tablets                   |  |

**Chapter 3 - Respiratory system**

|  |  |  |
|--|--|--|
| AEROCHAMBER DEVICE STANDARD (Blue)                                   |  |  |
| AEROCHAMBER DEVICE CHILD WITH MASK (YELLOW)                          |  |  |
| AEROCHAMBER DEVICE INFANT WITH MASK (ORANGE)                         |  |  |
| Beclomethasone Dipropionate Inhaler Breath Actuated 100mcg(200 D)CFF |  |  |
| Budesonide Nebuliser Solution 500mcg/2ml (20)                        |  |  |
| Cetirizine Hydrochloride Tablets 10mg                                |  |  |
| Chlorphenamine 10mg/1ml Injection                                    |  |  |
| Chlorphenamine 4mg Tablets   |  |  |
| Chlorphenamine 2mg/5ml Syrup   |  |  |
| Clenil Modulite Inhaler 100mcg (200D)                                |  |  |
| Clenil Modulite Inhaler 200mcg (200D)                                |  |  |

|  |  |  |
|--|--|--|
| DUAKLIR GENUAIR  |  |  |
| Glycopyrronium 600mcg/3ml Injection                                |  |  |
| Ipratropium Bromide Inhalation Solution 250mcg/1ml Unit Dose Vials |  |  |
| Loratadine Tablet 10mg   |  |  |
| Pulmicort Turbohaler 200mcg (100 D)                                |  |  |
| Salbutamol Inhalation Solution 2.5mg/2.5ml UDV                     |  |  |
| VENTOLIN EVOHALER  |  |  |
| SALAMOL EASIBREATHE  |  |  |
| Salbutamol Nebuliser Solution 5mg/2.5ml UDV                        |  |  |
| Salbutamol Inhaler Solution 2.5mg/2.5ml UDV                        |  |  |
| TRIMBOW MDI  |  |  |
| SEEBRI BREEZHALER  |  |  |
| SPIOLTO RESPIMAT   |  |  |
| PULVINAL EASIBREATHE   |  |  |
| VENTOLIN ACCUHALER   |  |  |
| AIROMIR EVOHALER   |  |  |
| QVAR EASI-BREATHE  |  |  |
| SPIRIVA REPSIMAT   |  |  |
| Uniphyllin Continuous Tablets 200mg                                |  |  |
| <b>Chapter 5 - Infections</b>                                      |  |  |
| Amoxicillin Capsules 250mg   |  |  |
| Amoxicillin Capsules 500mg   |  |  |
| Amoxicillin 125mg/5ml SF Suspension                                |  |  |
| Amoxicillin 250mg/5ml SF Suspension                                |  |  |
| Benzylpenicillin 600mg Injection                                   |  |  |
| Cefadroxil Capsules 500mg  |  |  |
| Ciprofloxacin Tablets 500mg  |  |  |
| Ciprofloxacin Tablets 250mg  |  |  |
| Clarithromycin Tablets 500mg                                       |  |  |
| Co-Amoxiclav Tablets 500mg/125mg                                   |  |  |
| Co-Amoxiclav Tablets 250mg/125mg                                   |  |  |
| Doxycycline Hyclate Capsules 100mg                                 |  |  |
| Erythromycin Tablets E/C 250mg                                     |  |  |
| Erythromycin Ethyl Succinate Suspension 125mg/5ml S/F              |  |  |
| Erythromycin Ethyl Succinate Suspension 250mg/5ml S/F              |  |  |
| Flucloxacillin Sodium Capsules 250mg                               |  |  |
| Flucloxacillin Sodium Capsules 500mg                               |  |  |
| Flucloxacillin Sodium 125mg/5ml Oral Solution                      |  |  |
| Fluconazole Capsules 50mg  |  |  |
| Gentamicin Sulfate Injection 40mg/ml 2ml                           |  |  |
| Metronidazole Tablets 200mg  |  |  |
| Metronidazole Tablets 400mg  |  |  |
| Nitrofurantoin Capsules 100mg                                      |  |  |
| Nitrofurantoin Caps MR 100mg                                       |  |  |
| Nitrofurantoin Capsules 50mg                                       |  |  |
| Nitrofurantoin Oral Suspension 25mg/5ml S/F                        |  |  |
| Nystatin Oral Suspension 100,000u/ml                               |  |  |
| Phenoxyethylpenicillin Potassium Tablets 250mg                     |  |  |
| Phenoxyethylpenicillin Solution 125mg/5mlSF                        |  |  |
| Pivmecillinam 200mg tablets  |  |  |
| Quinine Sulfate Tablets 200mg                                      |  |  |
| Quinine Sulfate Tablets 300mg                                      |  |  |
| Rifampicin Capsules 300mg  |  |  |

|   |  |  |
|---|--|--|
| Trimethoprim Oral Suspension 50mg/5ml S/F             |  |  |
| Trimethoprim Tablets 200mg                            |  |  |
| Vancomycin Hydrochloride Capsules 125mg               |  |  |
| <b>Chapter 4 - Central Nervous system</b>             |  |  |
| Amantadine Hydrochloride Capsules 100mg               |  |  |
| Amitriptyline Hydrochloride Tablets 10mg              |  |  |
| Amitriptyline Hydrochloride Tablets 25mg              |  |  |
| Amitriptyline Hydrochloride Tablets 50mg              |  |  |
| Aspirin Dispersible Tablet 300mg                      |  |  |
| Betahistine Hydrochloride Tablets 8mg                 |  |  |
| Butrans Patch 10mcg/hr (7day)                         |  |  |
| Butrans Patch 20mcg/hr (7day)                         |  |  |
| Butrans Patch 35mcg/hr (96hr)                         |  |  |
| Butrans Patch 5mcg/hr (7day)                          |  |  |
| Carbamazepine Tablets 100mg                           |  |  |
| Carbamazepine Tablets 200mg                           |  |  |
| Carbamazepine Tablets 200mg M/R (prescribe per brand) |  |  |
| Cinnarizine Tablets 15mg                              |  |  |
| Citalopram Hydrobromide Tablets 10mg                  |  |  |
| Citalopram Hydrobromide Tablets 20mg                  |  |  |
| Citalopram Hydrochloride Oral Drops 40mg/ml S/F       |  |  |
| Co-Beneldopa Capsules 12.5mg/50mg                     |  |  |
| Co-beneldopa Tablets Dispersible 50mg/12.5mg          |  |  |
| Co-Careldopa Tablets 12.5mg/50mg                      |  |  |
| Co-Careldopa Tablets 25mg/100mg                       |  |  |
| Co-Careldopa Tablets 25mg/100mg M/R                   |  |  |
| Co-Careldopa Tablets 50mg/200mg M/R                   |  |  |
| Co-Codamol Tablets 15mg/500mg                         |  |  |
| Co-Codamol Tablets 30mg/500mg                         |  |  |
| Co-Codamol Tablets 8mg/500mg                          |  |  |
| Codeine Phosphate Tablets 30mg                        |  |  |
| Codeine Phosphate Tablets 60mg                        |  |  |
| Cyclizine Hydrochloride Tablets 50mg                  |  |  |
| Cyclizine 50mg/1ml Injection                          |  |  |
| Diazepam Tablets 2mg                                  |  |  |
| Diazepam Tablets 5mg                                  |  |  |
| Diazepam 10mg/2ml Injection                           |  |  |
| Diazepam 10mg Rectal Tubes                            |  |  |
| Domperidone Suspension 5mg/5ml S/F                    |  |  |
| Domperidone Tablets 10mg                              |  |  |
| Donepezil Hydrochloride Tablets 10mg                  |  |  |
| Donepezil Hydrochloride Tablets 5mg                   |  |  |
| Doxepin Capsules 25mg                                 |  |  |
| Duloxetine Hydrochloride G/R Capsules 30mg            |  |  |
| Duloxetine Hydrochloride G/R Capsules 60mg            |  |  |
| Entacapone Tablets 200mg                              |  |  |
| Epilim Chrono 200 Tablets 200mg C/R                   |  |  |
| Epilim Chrono 300 Tablets 300mg C/R                   |  |  |
| Escitalopram Tablets 10mg                             |  |  |
| Escitalopram Tablets 5mg                              |  |  |
| Fluoxetine Hydrochloride Capsules 20mg                |  |  |
| Fluoxetine Hydrochloride Oral Solution 20mg/5ml       |  |  |
| Fluvoxamine Maleate Tablet 100mg                      |  |  |

|  |  |  |
|--|--|--|
| Gabapentin Capsules 100mg                      |  |  |
| Gabapentin Capsules 300mg                      |  |  |
| Gabapentin Capsules 400mg                      |  |  |
| Gabapentin Tablets 600mg                       |  |  |
| Haloperidol Injection 5mg/ml 1ml Ampoules      |  |  |
| Haloperidol Oral Solution 1mg/1ml S/F          |  |  |
| Imipramine Hydrochloride Tablets 25mg          |  |  |
| Levetiracetam Tablets 500mg                    |  |  |
| Lofepamine Hydrochloride Tablets 70mg          |  |  |
| Lorazepam Tablets 1mg                          |  |  |
| Memantine Hydrochloride Oral Solution 5mg/Pump |  |  |
| Memantine Hydrochloride Tablets 10mg           |  |  |
| Memantine Hydrochloride Tablets 20mg           |  |  |
| Methylphenidate Hydrochloride Tablets 20mg     |  |  |
| Metoclopramide 10mg/2ml Injection              |  |  |
| Metoclopramide Hydrochloride Tablets 10mg      |  |  |
| Mirtazapine Tablets 45mg                       |  |  |
| Mirtazapine Tablets 15mg                       |  |  |
| Mirtazapine Tablets 30mg                       |  |  |
| Modafinil Tablets 100mg                        |  |  |
| Morphine Sulfate Tablets 10mg M/R              |  |  |
| Morphine Sulfate Tablets 20mg M/R              |  |  |
| Morphine Sulfate Tablets 30mg M/R              |  |  |
| Morphine Sulfate Tablets 5mg M/R               |  |  |
| Morphine Sulfate Tablets 60mg M/R              |  |  |
| Nefopam Hydrochloride Tablets 30mg             |  |  |
| Nortriptyline Tablets 10mg                     |  |  |
| Ondansetron Hydrochloride Tablets 4mg          |  |  |
| Oxycodone Hydrochloride Capsules 5mg           |  |  |
| Oxycodone Hydrochloride Tablets 20mg M/R       |  |  |
| Oxycodone Hydrochloride Tablets 40mg M/R       |  |  |
| Paracetamol Oral Suspension 250mg/5ml SF       |  |  |
| Paracetamol Oral Suspension 250mg/5ml          |  |  |
| Paracetamol Oral Suspension 120mg/5ml          |  |  |
| Paracetamol Tablets 500mg                      |  |  |
| Paroxetine Hydrochloride Tablets 20mg          |  |  |
| Paroxetine Hydrochloride Tablets 30mg          |  |  |
| Phenobarbitone Tablets 30mg                    |  |  |
| Phenytoin Sodium Capsules 100mg                |  |  |
| Phenytoin Sodium Capsules 25mg                 |  |  |
| Phenytoin Sodium Capsules 300mg                |  |  |
| Phenytoin Sodium Capsules 50mg                 |  |  |
| Pregabalin Capsules 75mg                       |  |  |
| Pregabalin Capsules 50mg                       |  |  |
| Primidone Tablets 250mg                        |  |  |
| Prochlorperazine 12.5mg/1ml Injection          |  |  |
| Prochlorperazine Maleate Tablets 5mg           |  |  |
| Quetiapine Tablets 25mg                        |  |  |
| Rasagiline Mesilate Tab 1mg                    |  |  |
| Risperidone Tablets 1mg                        |  |  |
| Risperidone Tablets 500mcg                     |  |  |
| Rivastigmine Skin Patch 4.6mg/24hrs            |  |  |
| Ropinirole Hydrochloride Tablets 2mg M/R       |  |  |

|   |  |
|---|--|
| Ropinirole Hydrochloride Tablets 8mg M/R                      |  |
| Rotigotine Transdermal Patch 2mg/24hrs                        |  |
| Sertraline Hydrochloride Tablets 50mg                         |  |
| Sertraline Hydrochloride Tablets 100mg                        |  |
| Sinemet CR Tablets 250mg                                      |  |
| Sinemet Tablets 12.5mg/50mg                                   |  |
| Sinemet-Plus Tablets 125mg                                    |  |
| Sodium Valproate Tablets 200mg M/R                            |  |
| Sodium Valproate Tablets 500mg M/R                            |  |
| Sodium Valproate Tablets E/C 200mg                            |  |
| Sodium Valproate Tablets E/C 500mg                            |  |
| Stalevo Tablets 200mg/50mg/200mg                              |  |
| Temazepam Tablets 10mg  |  |
| Tramadol Hydrochloride Capsules 50mg                          |  |
| Tramadol Hydrochloride tablets 100mg M/R                      |  |
| Tramadol Hydrochloride Tablets Soluble 50mg S/F               |  |
| TransteC Trans Dermal Patch 35mcg/hr (20mg)                   |  |
| Tranylcypromine Sulfate Tablets 10mg                          |  |
| Venlafaxine Tablets 37.5mg                                    |  |
| Venlafaxine Tablets 75mg                                      |  |
| Zopiclone Tablets 3.75mg                                      |  |
| Zopiclone Tablets 7.5mg                                       |  |
| Phenytoin Sodium Tablets 100mg                                |  |
| <b>Chapter 6 - Endocrine system</b>                           |  |
| Alendronic Acid Tablets 70mg                                  |  |
| Carbimazole Tablets 5mg                                       |  |
| Desmopressin Acetate Nasal Spray 10mcg (60 D)                 |  |
| Dexamethasone Tablets 2mg                                     |  |
| Finasteride Tablets 5mg                                       |  |
| Fludrocortisone Acetate Tablets 100mcg                        |  |
| Genotropin Injection 5.3mg Cartridge                          |  |
| Gliclazide Tablets 40mg                                       |  |
| Gliclazide Tablets 80mg                                       |  |
| Glucogel Gel 40% (Original)                                   |  |
| Glucagon 1mg Injection  |  |
| Hydrocortisone Tablets 10mg                                   |  |
| Hydrocortisone Sodium succinate 100mg Injection and diluent   |  |
| Hydrocortisone Sodium succinate 100mg Injection               |  |
| Insulin Humalog KwikPen 100u/ml 3ml Pf Pen                    |  |
| Insulin Innolet Insulatard 100u/ml 3ml Pf Pen                 |  |
| Insulin Lantus 100u/ml 3ml Cartridge                          |  |
| Insulin Lantus SoloStar 100u/ml 3ml Pf Pen                    |  |
| Insulin NovoMix 30 FlexPen 100u/ml 3ml Pf Pen                 |  |
| Insulin NovoMix 30 Penfill 100u/ml 3ml Cartridge              |  |
| Insulin NovoRapid FlexPen 100u/ml 3ml Pf Pen                  |  |
| Insulin NovoRapid Penfill 100u/ml 3ml Cartridge               |  |
| Levothyroxine Sodium Tablets 100mcg                           |  |
| Levothyroxine Sodium Tablets 25mcg                            |  |
| Levothyroxine Sodium Tablets 50mcg                            |  |
| Linagliptin Tablets 5mg                                       |  |
| Metformin Hydrochloride Oral Solution 500mg/5ml S/F           |  |
| Sukkarto Tablets 1g S/R (please prescribe this brand only)    |  |
| Sukkarto Tablets 500mg S/R (please prescribe this brand only) |  |

|   |  |  |
|---|--|--|
| Metformin Hydrochloride Tablets 500mg                                   |  |  |
| Pioglitazone Hydrochloride Tablets 15mg                                 |  |  |
| Pioglitazone Hydrochloride Tablets 30mg                                 |  |  |
| Prednisolone Tablets 25mg   |  |  |
| Prednisolone Tablets 5mg  |  |  |
| Prednisolone Tablets E/C 2.5mg  |  |  |
| Prednisolone Tablets E/C 5mg  |  |  |
| Prednisolone Tablets 5mg  |  |  |
| Prednisolone Tablets 1mg  |  |  |
| Premarin Tablets 300mcg   |  |  |
| Risedronate Sodium Tablets 35mg   |  |  |
| Sitagliptin Tablets 100mg   |  |  |
| Strontium Ranelate Suspension Granules Sachet 2g S/F                    |  |  |
| <b>Chapter 7 - Obstetrics, gynaecology, and urinary tract disorders</b> |  |  |
| Alfuzosin Hydrochloride Tablets 10mg M/R                                |  |  |
| Darifenacin 7.5mg tablets   |  |  |
| Duloxetine Hydrochloride Capsules G/R 20mg                              |  |  |
| Estriol Cream 0.1% + Applicator   |  |  |
| Fesoterodine Fumarate Tablets 8mg M/R                                   |  |  |
| Oxybutynin Hydrochloride Tablets 5mg                                    |  |  |
| Oxybutynin Hydrochloride Tablets 2.5mg                                  |  |  |
| Solifenacin Tablets 10mg  |  |  |
| Solifenacin Tablets 5mg   |  |  |
| Syntometrine Injection  |  |  |
| Tamsulosin Hydrochloride Capsules 400mcg M/R                            |  |  |
| Tolterodine Capsules 4mg M/R  |  |  |
| Trospium Chloride Tablets 20mg  |  |  |
| <b>Chapter 8 - Malignant diseases and immunosuppression</b>             |  |  |
| Anastrozole Tablets 1mg   |  |  |
| Avonex Injection 30mcg/0.5ml Pfs  |  |  |
| Azathioprine Tablets 50mg   |  |  |
| Diethylstilbestrol Tablets 1mg  |  |  |
| Letrozole Tablets 2.5mg   |  |  |
| <b>Chapter 9 - Nutrition and blood</b>                                  |  |  |
| Alfacalcidol Capsules 250ng   |  |  |
| Alfacalcidol Capsules 500ng   |  |  |
| Aymes Complete (200ml bottle)   |  |  |
| Aymes Shake (57g sachet powered supplment to be mixed with whole milk)  |  |  |
| Ascorbic Acid Tablets 100mg   |  |  |
| Ascorbic Acid Tablets 500mg   |  |  |
| Build-up Nutrition Soup Sachet 49g (4 Flavours)                         |  |  |
| Calogen Emulsion (Banana)   |  |  |
| Calogen Emulsion (Strawberry)   |  |  |
| Calogen Extra Emulsion (2 Flavours)                                     |  |  |
| Calogen Extra Shots Emulsion (2 Flavours)                               |  |  |
| Colecalciferol Capsules 1,000u  |  |  |
| Colecalciferol Tablets 800u   |  |  |
| Cyanocobalamin Tablets 50mcg  |  |  |
| Dioralyte Powder Sachet (Natural)                                       |  |  |
| Dioralyte Powder Sachet (Blackcurrant)                                  |  |  |
| Enshake Powder Sachet 96.5g (Banana)                                    |  |  |
| Ensure TwoCal Liquid (4 Flavours)                                       |  |  |
| Ferrous Fumarate Tablets 210mg  |  |  |

|  |  |  |
|--|--|--|
| Folic Acid Tablets 5mg                                 |  |  |
| Forceval Capsules                                      |  |  |
| Fresubin Energy (200ml bottle)                         |  |  |
| Fresubin 5kcal Shot Drink (Neutral)                    |  |  |
| Hydroxocobalamin Injection 1mg/ml 1ml Ampoules         |  |  |
| Phosphate Sandoz Tablets Effervescent                  |  |  |
| Pro-Cal Shot Liquid (3 Flavours)                       |  |  |
| Phytomenadione 10mg/1ml Injection                      |  |  |
| Sando-K Tablets Effervescent 470mg                     |  |  |
| Slow Sodium Tablets 600mg                              |  |  |
| Sodium Bicarbonate Capsules 500mg                      |  |  |
| Sodium Chloride 0.9% Injection plastic amps            |  |  |
| Thiamine Hydrochloride Tablets 100mg                   |  |  |
| TheiCal - D3 1000mg/880iu chewable tablets             |  |  |
| Vit B Compound Strong Tablets                          |  |  |
| Water for Injections                                   |  |  |
| Zinc Sulfate Capsules 220mg                            |  |  |
| <b>Chapter 10 - Musculoskeletal and joint diseases</b> |  |  |
| Allopurinol Tablet 100mg                               |  |  |
| Allopurinol Tablet 300mg                               |  |  |
| Baclofen Tablet 10mg                                   |  |  |
| Capsaicin Cream 0.025%                                 |  |  |
| Colchicine Tablet 500mcg                               |  |  |
| Depo-Medrone Injection 40mg/ml-1ml Vial                |  |  |
| Depo-Medrone Injection 40mg/ml-2ml Vial                |  |  |
| Diclofenac Sodium Tablets E/C 50mg                     |  |  |
| Diclofenac Sodium 75mg/3ml Injection                   |  |  |
| Hydroxychloroquine Sulfate Tablet 200mg                |  |  |
| Ibuprofen Gel 5%                                       |  |  |
| Ibuprofen tablets 200 mg                               |  |  |
| Meloxicam Tablets 7.5mg                                |  |  |
| Methotrexate Tablet 2.5mg                              |  |  |
| Naproxen Tablet E/C 250mg                              |  |  |
| Piroxicam Gel 0.5%                                     |  |  |
| <b>Chapter 11 - Eye</b>                                |  |  |
| Betaxolol Solution Eye Dps 0.5%                        |  |  |
| Bimatoprost Eye Dps 100mcg/ml                          |  |  |
| Bimatoprost Eye Dps 300mcg/ml                          |  |  |
| Brimonidine Tartarate Eye Dps 0.2%                     |  |  |
| Brinzolamide Eye Dps 10mg/ml                           |  |  |
| Carteolol Hydrochloride Eye Dps 1%                     |  |  |
| Carteolol Hydrochloride Eye Dps 2%                     |  |  |
| Chloramphenicol Eye Dps 0.5%                           |  |  |
| Chloramphenicol 1% Eye Ointment                        |  |  |
| Dorzolamide Eye Drops 2%                               |  |  |
| Dorzolamide/Timolol Eye Drops 2%/0.5%                  |  |  |
| Hypromellose Eye Drops 0.3%                            |  |  |
| Lacri-Lube Ophthalmic Ointment                         |  |  |
| Latanoprost Eye Drops 50mcg/ml                         |  |  |
| Nedocromil Sodium Eye Drops Aqueous 2%                 |  |  |
| Pilocarpine Hydrochloride Eye Drops 1%                 |  |  |
| Pilocarpine Hydrochloride Eye Drops 4%                 |  |  |
| Sno Tears Ophthalmic Solution 1.4%                     |  |  |



|  |  |
|--|--|
| Sodium Chloride 0.9% Minims UDV                        |  |
| Timolol Eye Dps 0.25%                                  |  |
| Travoprost Eye Drops 40mcg/ml                          |  |
| Viscotears Liquid Gel 0.2%                             |  |
| <b>Chapter 12- Ear, Nose and Oropharynx</b>            |  |
| Fluticasone Propionate Nasal Spray 50mcg (150 D)       |  |
| Mupirocin Nasal Ointment 2%                            |  |
| Naseptin Cream   |  |
| Otomize Ear Spray 5ml                                  |  |
| Saline Steri-Neb Solution 0.9%/2.5ml UDV               |  |
| <b>Chapter 13 - Skin</b>                               |  |
| Aprobase lotion  |  |
| Aproderm emollient                                     |  |
| Chlorhexidine Gluconate Solution 4%                    |  |
| Clindamycin Phosphate Topical Solution 1%              |  |
| Clobetasone Butyrate Cream 0.05%                       |  |
| Dermol 500 lotion                                      |  |
| QV Lotion  |  |
| Epimax Cream   |  |
| Zerobase Cream   |  |
| E45 Cream  |  |
| Epaderm Cream  |  |
| Fusidic Acid Cream 2%                                  |  |
| Fusidic Acid Ointment 2%                               |  |
| Hibiscrub Solution                                     |  |
| Hydrocortisone Acetate/Fusidic Acid Cream 1%/2%        |  |
| Hydrocortisone Ointment 1%                             |  |
| Isomol gel   |  |
| Liquid Paraffin/White Soft Paraffin 50%/50%            |  |
| Mupirocin Cream 2%                                     |  |
| Potassium Permanganate Solution Tablets 400mg          |  |
| Silver Sulfadiazine cream 1%                           |  |
| Steripaste Band (15%) 7.5cm x 6m                       |  |
| Zipzoc Medicated Stocking                              |  |
| <b>Chapter 15 - Anaesthesia</b>                        |  |
| Atropine 600mcg/1ml Injection                          |  |
| Bupivacaine Hydrochloride Injection 0.5% 50mg/10ml Amp |  |
| Lidocaine Hydrochloride Gel 2% (Liq)                   |  |
| Lidocaine Hydrochloride 2%/Chlorhexidine Gel 11ml Pfs  |  |
| Lidocaine Hydrochloride Injection 1% 10ml Amp          |  |
| Lidocaine Hydrochloride Injection 1% 2ml Amp           |  |
| Lidocaine Hydrochloride Injection 2% 5ml Amp           |  |
| Lidocaine Medicated Plaster 5%                         |  |
| Lidocaine Ointment 5%                                  |  |
| <b>Chapter 16</b>                                      |  |
| Naloxone 400mcg/ml                                     |  |
| <b>Chapter 19</b>                                      |  |
| Thick & Easy Food Thickener                            |  |
| <b>Chapter 20</b>                                      |  |
| Aquacel 10cm x 10cm Wound Dress Protease Matrix        |  |
| Aquacel 15cm x 15cm Wound Dress Protease Matrix        |  |
| Aquacel Ribbon 2cm x 45cm Wound Dress Cavity           |  |
| Biatain 15cm x 15cm Wound Dress Polyurethane           |  |

|   |  |
|---|--|
| Biatain Adh 18cm x 18cm Wound Dress Polyurethane                          |  |
| Crepe 10cm x 4.5m BP 1988 Bandage   |  |
| Inadine 5cm x 5cm Povidone Iodine Fabric Dressing Sterile                 |  |
| IntraSite Gel 8g Wound Dressing Hydrogel Sterile                          |  |
| Iodosorb Ointment 20g Wound Dressing Hydrogel Sterile                     |  |
| Kaltostat 2g Wound Dressing Cavity  |  |
| K-Soft 10cm x 3.5m M/Layer Compression Bandaging                          |  |
| Melgisorb 10cm x 10cm Wound Dressing Alginate Sterile                     |  |
| Mepilex Border 10cm x 12.5cm Wound Dressing Soft Silicone                 |  |
| Mepilex Border 10cm x 20cm Wound Dressing Soft Silicone                   |  |
| Mepilex Border 15cm x 17.5cm Wound Dressing Soft Silicone                 |  |
| Mepilex Border 17cm x 20cm Wound Dressing Soft Silicone                   |  |
| Mepilex Border 7cm x 7.5cm Wound Dressing Soft Silicone                   |  |
| Mepilex Border Lite 15cm x 15cm Wound Dressing Soft Silicone              |  |
| Mepilex Border Lite 7.5cm x 7.5cm Wound Dressing Soft Silicone            |  |
| Mepilex Border Sacrum 18cm x 18cm Wound Dressing Soft Silicone            |  |
| Mepilex Heel 13cm x 20cm Wound Dressing Soft Silicone                     |  |
| Mepilex Lite 6cm x 8.5cm Wound Dressing Soft Silicone                     |  |
| Mepitel 20cm x 32cm Wound Dressing Soft Silicone                          |  |
| Mepitel 8cm x 10cm Wound Dressing Soft Silicone                           |  |
| Mesorb 10cm x 10cm Perforated Cellulose Dressing                          |  |
| Micropore 2.5cm x 5m Surgical Adhesive Tape Permeable Non-Woven Synthetic |  |
| N-A Ultra 9.5cm x 9.5cm Type 1 Knited Viscose Dressing                    |  |
| N-A Ultra 9.5cm x 9.5cm Type 1 Ktd Viscose Dress                          |  |
| OpSite Plus 10cm x 35cm VapourPermeable Adhesive Film Dressing            |  |
| Profore #1 10cm x 3.5m M/Layer Compression Bandaging                      |  |
| Profore #2 10cm x 4.5m M/Layer Compression Bandaging                      |  |
| Softpore 10cm x 25cm Perforated + Adhesive Border Dressing                |  |
| Tegaderm Foam Adhesive Oval 6.9cm x 7.6cm Wound Dressing Polyurethane     |  |
| Tegaderm Hydrocolloid 17.1cm x 16.1cm Wound Dressing Hydrocolloid         |  |
| Tubifast 2-Way Stch 10.75cm x 3m Yellow Stockinette Elasticated Viscose   |  |
| Tubifast 2-Way Stch 10.75cm x 5m Yellow Stockinette Elasticated Viscose   |  |
| Tubifast 2-Way Stch 7.5cm x 3m (Blue) Stockinette Elasticated Viscose     |  |
| Tubifast 2-Way Stch 7.5cm x 5m (Blue) Stockinette Elasticated Viscose     |  |
| V.A.C. GranuFoam Dressing Kit Medium Wound Dressing Pack                  |  |
| Viscopaste Pb7 10% 7.5cm x 6m Zinc Paste Bandage                          |  |
| Zetuvit E 20cm x 20cm Perforated Cellulose Dressing                       |  |

**Chapter 21**

|  |  |
|--|--|
| Catheters - refer to Continence section                        |  |
| BD Micro-Fine Ultra Needles Pen Inj Screw On 4mm               |  |
| BD Microfine+ Needles Pen Inj Screw On 5mm                     |  |
| Class 11 Standard Circ-Knit Thigh Stocking Elasticated Hoseiry |  |
| Contour Blood Glucose Test Strips                              |  |
| Contour Normal Control Solution                                |  |
| Contour Next Blood Glucose Test Strips                         |  |
| Irripod Sodium Chloride Topical Irrigation 20ml                |  |
| Multistix-8-SG Test Strips                                     |  |
| Normasol Sodium Chloride Topical Irrigation 0.9% 25ml Sachets  |  |
| NovoFine Needles Pen Inj Screw On 6mm                          |  |
| Optiflo S Catheter Maintenance Solution 50ml                   |  |
| Pregnancy Test   |  |
| Prontosan Top Irrig 350ml Btl                                  |  |
| Vismed Sod Hyaluronate Eye Dps 0.3ml Ud P/F                    |  |

| Chapter 22   |  |
|--|--|
| Collection Bags, Straps, Leg bags Urisheaths - refer to Continence section |  |
| Chapter 23   |  |
| Aproderm emollient, cream or gel 30g                                       |  |
| Aproderm emollient, cream or gel 100g                                      |  |
| Aproderm emollient 500g  |  |

Aquamax®, Epimax®, ZeroAQS®,

E45 lotion®

2nd line

-

Hydromol® ointment, Zeroderm®

Aproderm® emollient

cream or gel, Cetraben®, Isomol®, Zerobase®, Zerocream®,

QV lotion®

Other

-

Doublebase®,

Isomol®, Zerodouble

**CCNT**

| Drugs   | Stock |
|---|-------|
| <b>Chapter 3 - Respiratory system</b>   |       |
| ADRENALINE INJECTION PACK   |       |
| ADRENALINE 1mg/1ml Pre filled Syringe   |       |
| <b>Chapter 4 - Central Nervous system</b>                                       |       |
| PARACETAMOL 120 mg in 5ml Suspension,Sugar Free                                 |       |
| PARACETAMOL 500 mg TABLETS (100 TABLETS)  |       |
| <b>Chapter 6 - Endocrine system</b>   |       |
| MULTISTIX 8SG (4200746) Reagent Strips  |       |
| <b>Chapter 9 - Nutrition and blood</b>  |       |
| SODIUM CHLORIDE (10ml Plastic Ampoule) 0.9 % Injection                          |       |
| WATER FOR INJECTION (10ml plastic ampoule)                                      |       |
| WATER FOR INJECTION Intravenous Infusion  |       |
| <b>Chapter 13 - Skin</b>  |       |
| HEPARIN SODIUM flushing solution p. f. (2ml ampoule) 100 units in 1ml Injection |       |
| HEPARIN SODIUM flushing solution p.f. (5ml Ampoule) 10 units in 1ml Injection   |       |
| <b>Chapter 15 - Anaesthesia</b>   |       |
| ETHYL CHLORIDE Fine Spray Aerosol 100ml Can                                     |       |
| GLYCOPYRRONIUM 200 mcg/1 ml Injection   |       |

**Podiatry**

| Drugs   | Stock |
|---|-------|
| <b>Chapter 3 - Respiratory system</b>                   |       |
| ADRENALINE INJECTION PACK                               |       |
| <b>Chapter 6 - Endocrine system</b>                     |       |
| METHYLPREDNISOLONE ACETATE 40 mg in 1ml Injection       |       |
| <b>Chapter 13 - Skin</b>                                |       |
| CAMCARE ULTRASOUND GEL 250ml                            |       |
| AQUEOUS Cream 100g Tube                                 |       |
| CLOTRIMAZOLE 1 % Spray Solution                         |       |
| FERRIC CHLORIDE BPC 15% Solution 30ml                   |       |
| HYDROGEN PEROXIDE 10 volumes (3%) Solution BP 15ml      |       |
| PHENOL LIQUIFIED 80 %                                   |       |
| POVIDONE IODINE 2.5 % Spray Powder 100ml Can            |       |
| SILVER NITRATE 75 % Caustic Applicators                 |       |
| <b>Chapter 15 - Anaesthesia</b>                         |       |
| MEPIVACAINE HYDROCHLORIDE 3 % Injection 2.2ml Cartridge |       |
| LIDOCAINE 2% INJECTION (5ml)                            |       |

**Rehab - Foxbury Unit**

| Drugs                                     | Stock |
|---|-------|
| Cyclizine 50mg tablets                    |       |
| Flucloxacillin 250mg capsules             |       |
| Nitrofurantoin 100mg M/R capsules         |       |
| Paracetamol 500mg tablets                 |       |
| Pivmecillinam 200mg tablets               |       |
| Trimethoprim 200mg tablets                |       |
| Glucose 40% oral gel (3x25g)              |       |
| Lactulose solution (300ml)                |       |
| Laxido orange sachets (20s)               |       |
| Glucagon 1mg injection                    |       |
| Enoxaparin 20mg 0.2mg syringes            |       |
| Enoxaparin 40mg 0.4mg syringes            |       |
| Salbutamol 2.5mg/2,5ml nebuliser solution |       |
| Contour blood glucose test strips (50)    |       |
| Contour normal control solution (50)      |       |
| Glycerol 4g suppositories (12 supps)      |       |
| Glyceryl Trinitrate 400mcg S/L spray      |       |
| Haleraid (120 dose)                       |       |
| Haleraid (20 dose)                        |       |
| Lidocaine 2.5% Prilocaine 2.5% cream      |       |
| Micalax micro-enema                       |       |
| Nutlis oral powder (300g)                 |       |
|   |       |
|   |       |
|   |       |

**Respiratory**

| s                                     | Stock |
|---------------------------------------|-------|
| <b>Chapter 3 - Respiratory system</b> |       |
| SALAMOL EASIBREATHE                   |       |
| CLENIL INHALER 100 micrograms         |       |
| FOSTAIR NEXTHALER 200/6mcg            |       |
| CLENIL MODULITE MDI 100 micrograms    |       |
| BECLAMETASONE EASYHALER               |       |
| QVAR INHALER                          |       |
| VENTOLIN EVOHALER                     |       |
| SALAMOL EASIBREATHE                   |       |
| TRELEGY ELLIPTA                       |       |
| TRIMBOW MDI                           |       |
| SEEBRI BREEZHALER                     |       |
| SPIOLTO RESPIMAT                      |       |
| PULVINAL EASIBREATHE                  |       |
| VENTOLIN ACCUHALER                    |       |
| AIROMIR EVOHALER                      |       |
| QVAR EASI-BREATHE                     |       |
| SPIRIVA REPSIMAT                      |       |
| RELVAR ELLIPTA                        |       |
| FLUTIFORM MDI                         |       |
| DUORESP SPIROMAX                      |       |
| SPIRIVA HANDIHALER                    |       |
| FOSTAIR NEXTHALER 100/6mcg            |       |
| FOSTAIR MDI                           |       |
| ULTIBRO BREEZHALER                    |       |
| DUAKLIR GENUAIR                       |       |
| QVAR MDI                              |       |
| ANORO ELLIPTA                         |       |
| INCRUSE ELLIPTA                       |       |
| Eklira Genuair                        |       |
| <b>Chapter 21</b>                     |       |
| AEROCHAMBER PLUS DEVICE (Blue)        |       |
| AEROCHAMBER DEVICE STANDARD (Blue)    |       |
| Volumatic                             |       |